



Infant Mortality in Allen County


SARAH E. GIAQUINTA, MD, MPH(C)

THE ST. JOSEPH COMMUNITY
HEALTH FOUNDATION

WYNDY Weather Sports Community Station Livestream

Home / Local / Article

Fort Wayne named as best place to raise a family




By NBC VOD | Posted: Fri 12:27 PM, Feb 03, 2017 | Updated: Fri 12:32 PM, Feb 03, 2017

[f](#) [t](#) [in](#) [g+](#) [e](#) [p](#)

Fort Wayne has been named as the best place in the country to raise a family.



Infant Mortality



Indiana: 7.3

46806-Zip Code: 14.3

46806-Zip Code (Black IMR): 22

46805-Zip Code: 11.4

46805-Zip Code (Black IMR)- 26.5

Infant Mortality Data



Zip Code	County	Births	Deaths	IMR	White IMR	Black IMR
46312	Lake	2,479	41	16.5	12.8*	25.2
46953	Grant	1,392	20	14.4	14.9*	**
46806	Allen	2,372	34	14.3	9.0*	21.9
46324	Lake	1,478	21	14.2	17.0*	16.5*
46226	Marion	3,488	49	14.1	7.0*	16.9
46229	Marion	1,997	27	13.5	7.3*	16.1*
46218	Marion	2,498	33	13.2	**	15.9
47302	Delaware	1,858	24	12.9	12.9	**
46205	Marion	2,404	28	11.7	9.2*	13.7*
46805	Allen	1,765	20	11.4	9.8*	26.5*

Infant Mortality Contributing Factors

1. Smoking
2. Alcohol Use
3. Drug Use
4. Low Breastfeeding Rates
5. Birth Spacing
6. Unsafe Sleep Practices
7. Socioeconomic Status
8. Access to Healthcare



Northeast Indiana Causes of Death




Causes of Infant Mortality

- Congenital Malformations
- Perinatal Risks
- SUIDs
- Assaults/Accidents
- Other

Perinatal Risk Factor Data- Allen County

- 9.8% of women reported smoking during pregnancy
- 43.7% of women did not receive prenatal care in the first trimester
- 43.3% of all births were to unmarried parents
- 17.3% of mothers were not breastfeeding at hospital discharge
- 9.4% of babies were delivered preterm (prior to 37 weeks gestation)

Risk Factors and Outcomes by Race (Northeast Indiana)



Neighborhood and County Demographic Data

	46806	46805	Allen County
Percentage of individuals living below the poverty line	39.3%	21.0%	15.8%
Median household income	\$27,099	\$37,168	\$49,092
Percentage of population identified as Black or African-American	50.8%	12.6%	13.8%
Percentage of population with a high school degree or equivalency	73.1%	87.4%	89.3%
Percentage of population on public health insurance	46.2%	32.9%	29.1%
Percentage of population uninsured	26.5%	15.9%	13.8%

ISDH Data Portal

<http://www.in.gov/isdh/27470.htm>

IN.gov BUSINESS & AGRICULTURE RESIDENTS GOVERNMENT EDUCATION TAXES & FINANCE VISITING & PLAYING FAMILY & HEALTH

Epidemiology Resource Center (ERC)

- Data Analysis and Risk Factors
- Surveillance Systems and Informatics
- Public Health Geographics
- Infectious Disease Epidemiology
- Zoonotic and Vectorborne Epidemiology / Entomology

Social Links

Top FAQs **I Want To...**

Apply for a Birth/Death Certificate

ISDH HOME » PUBLIC HEALTH PROTECTION & LABORATORY SERVICES » EPIDEMIOLOGY RESOURCE CENTER (ERC) » DATA ANALYSIS AND RISK FACTORS » DATA ANALYSIS AND RISK FACTORS HOME » INTERACTIVE QUERY TOOLS AND DASHBOARDS » **INFANT MORTALITY**

INFANT MORTALITY

Instructions: Use filter options to select desired values using check boxes or search text. Mark (All) to select/de-select all values. Options for download and full screen view appear below the dashboard.

Data notes: Infant mortality counts and rates describe deaths occurring during the calendar year. The rate is calculated by dividing the number of infant deaths in a calendar year by the number of live births during the same calendar year. The data in this report use final birth and death files, which are not linked. **These rates should not be compared to other sources of infant mortality data that use linked birth and death data.** For additional infant mortality data, please visit Maternal and Child Health epidemiology reports [here](#). Race of 'Other' includes unknown race. 'Hispanic' ethnicity is also reported; Hispanics can be members of any race.

Infant Mortality by County of Residence and Race/Ethnicity, Indiana Residents

Infant mortality counts and rates describe deaths occurring during the calendar year. The rate is calculated by dividing the number of infant deaths in a calendar year by the number of live births during the same calendar year. The data in this report use final birth and death files, which are not linked. These rates should not be compared to other sources of infant mortality data that use linked birth and death data.
Infant Mortality Rate=Infant deaths per 1,000 live births | U=Unstable (unreliable) rate when less than 20 infant deaths.

Instructions: Select desired options for *multiple* county results.

Select County of Residence(s)
INDIANA

Select Year(s)
(All)

	2012	2013	2014	2015	2016	2012-2016
County Of Residence	Infant Deaths	Infant Deaths	Infant Deaths	Infant Deaths	Infant Deaths	Infant Deaths
INDIANA	556	594	597	613	623	2,983
All Races	371	393	403	437	435	2,039
White	146	153	153	137	151	740
Black	39	48	41	39	37	204
Other	57	50	50	65	67	289

Questions?

